520 Rec'd PCT/PTO 2 0 DEC 1999 Per

FORM I (REV 10	PTO-1391 1-95)		OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER					
	TR	RANSMITTAL LETTER	MERCK 2047						
		DESIGNATED/ELECTE	U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR						
	(CONCERNING A FILIN	G UNDER 35 U.S.C. 371	09/446298					
INTEI		IONAL APPLICATION NO. PCT/EP98/03525	INTERNATIONAL FILING DATE 10 June 1998	PRIORITY DATE CLAIMED 20 June 1997					
	e of in	NVENTION	(PE)	·ci					
HOI	DIN	G DEVICE FOR MONOLIT	THIC SORBENTS /O						
				100 2					
•		Γ(S) FOR DO/EO/US IRDA et al	\						
וופוע	UL LIU	JBDA, et al.	STEW & TRAD	Reference of the second					
Ann1:	cant L	erewith submits to the United Sta	ites Designated/Elected Office (DO/EO/US)	the following items and other information:					
1.	\boxtimes		tems concerning a filing under 35 U.S.C. 37						
2.		•	UENT submission of items concerning a fil						
3.		examination until the expiration	in national examination procedures (35 U.S. of the applicable time limit set in 35 U.S.C.	371(b) and PCT Articles 22 and 39(1).					
4.	⊠ ⊠	• •		he 19th month from the earliest claimed priority date.					
5.	×		lication as filed (35 U.S.C. 371 (c) (2))	arnational Russau\					
			(required only if not transmitted by the Inter-	ornanonar burcauj.					
		·	y the International Bureau. application was filed in the United States Rec	ceiving Office (RO/LIS)					
6.	\boxtimes	• •	application was filed in the Office States Red Application into English (35 U.S.C. 371(c)						
_ 0. _ 7.	×	A copy of the International Search		//-/ <i>/</i> /					
	×	* *	e International Application under PCT Artic	le 19 (35 U.S.C. 371 (c)(3))					
≈ ≅ 8.			th (required only if not transmitted by the Int						
Half Nam			by the International Bureau.	·					
# #112			owever, the time limit for making such amer	ndments has NOT expired.					
		d. \(\text{ \text{Mayer not been made, not been made and }} \)	_	-					
9.		A translation of the amendments	s to the claims under PCT Article 19 (35 U.S	S.C. 371(c)(3)).					
10.	\boxtimes	An oath or declaration of the inv							
11.	×		iminary Examination Report (PCT/IPEA/409						
12.			he International Preliminary Examination Re						
ţ.		13 to 18 below concern documen	t(c) or information included.						
11 13.	tems I		tement under 37 CFR 1.97 and 1.98.						
13. 14.				ce with 37 CFR 3.28 and 3.31 is included.					
15.		An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. A FIRST preliminary amendment.							
		A SECOND or SUBSEQUENT							
16.		A substitute specification.	-						
17.		A change of power of attorney and/or address letter.							
18.									
19.	\boxtimes	Other items or information:							
		Letter							
i									
3									
1									
t		1							

			420 Re	ec'd PCT	/PTO	2 0 DE	<u> 1999</u>			
u.s. applicat	100 NO. (1F KNOW) SOE 8 CFR	INTERNATIONAL A PCT/EI	APPLICATIO P98/03525	N NO.	,, 10		DOCKET NUMBER CK 2047			
BASIC NATIO	e following fees are submitted:. NAL FEE (37 CFR 1.492 (a) (1) Report has been prepared by the E	PO or JPO		\$840.00	CAL	CULATIONS	S PTO USE ONLY			
	☐ International preliminary examination fee paid to USPTO (37 CFR 1.482)									
but inte	national search fee paid to USPTo international preliminary examina	O (37 CFR 1.445(a)(2))		\$760.00						
internat	onal search fee (37 CFR 1.445(a)	(2) paid to USPTO	• • • •	\$970.00						
and all	laims satisfied provisions of PCT	Article 33(2)-(4)		\$96.00						
Surcharge of \$	ENTER APPROP		E AMO □ 20	$\frac{UNT =}{\Box \ 30}$		\$840.00				
	e earliest claimed priority date (3 NUMBER FILED		`RA	RATE		\$0.00				
Total claims	3 - 20 =	0	х	\$18.00		\$0.00				
Independent cla	ims 1 - 3 =	0	х	\$78.00		\$0.00				
Multiple Depe	ndent Claims (check if applicable	e).				\$0.00				
	TOTAL	OF ABOVE CALO	CULATI	ONS =		\$840.00				
Reduction of 1. must also be fi	2 for filing by small entity, if appled (Note 37 CFR 1.9, 1.27, 1.28)	olicable. Verified Small E (check if applicable).	ntity Staten	nent]	\$0.00				
			SUBT	OTAL =	:	\$840.00				
Processing fee months from the	of \$130.00 for furnishing the Eng e earliest claimed priority date (3	lish translation later than 7 CFR 1.492 (f)).	□ 20	□ 30 +		\$0.00				
! [TOTAL NAT	IONAL	FEE =		\$840.00				
Fee for recordi accompanied b	ng the enclosed assignment (37 Cl y an appropriate cover sheet (37 C	FR 1.21(h)). The assignm FR 3.28, 3.31) (check if	ent must be applicable)	. -]	\$0.00				
		TOTAL FEES	ENCLO	SED =	= [\$840.00				
20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					r	unt to be: efunded charged	\$			
<u> </u>						mai geu	Ψ			
A check in the amount of \$840.00 to cover the above fees is enclosed. Please charge my Deposit Account No. in the amount of to cover the above fees. A duplicate copy of this sheet is enclosed.										
_	ommissioner is hereby authorized osit Account No. 13-3402		•	•	t any ove	rpayment				
to Deposit Account No. 13-3402 A duplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.										
SEND ALL CORRESPONDENCE TO:										
MILLEN, W	HITE, ZELANO & BRANIGAN	i, P.C.		NONATURE 7						
Arlington Co	urthouse Plaza 1	•		SIGNATURE						
	on Boulevard, Suite 1400			Anthony J. Zelano						
Arlington, Vi (703) 243-633				NAME						
(, , , , , , , , , , , , , , , , , , ,	=			27,969						
				REGISTRATION NUMBER						
Filed: 12/20/	9									
AJZ:jvbp				20 Decemb	IDEF 1999					
			DATE							

in

which a

WO 98/59238

- 1 -

PCT/EP98/03525

Holding device for monolithic sorbents

The invention relates to holding devices for monolithic sorbents for chromatography.

5

10

15

20

25

30

During packing οf chromatography columns with particulate sorbents, the sorbent bed comes into close contact with the jacket of the column. If, as disclosed WO 94/19 687 and in WO 95/03 256, particulate sorbents are replaced by monolithic sorbents, problem arises of sealing the jacket of the sorbent so as to be liquid-impermeable, pressure-resistant and inert to the eluents. Only in this way is it ensured that the eluent flows exclusively through the sorbent. F. Svec and J. M. Frechet (1992) Anal. Chem. 64, pages 820 - 822, describe how a monolithic sorbent can be polymerized into a tube. This principle is of only limited applicability in the case of ceramic sorbents, since the green compact shrinks during the subsequent firing and calcination steps: this process can only be used if the internal diameter of the tube sufficiently small, i.e. significantly less than one centimetre. A holding device which can also be used for thicker monolithic sorbents is disclosed WO 94/19 687: a Teflon casing surrounds the ceramic rod. So that this casing provides liquid-impermeable sealing even if the operating pressure of chromatography device is applied in the interior, the Teflon-encased ceramic rod is located in a metal pipe

The device disclosed in WO 94/19 687 has a complex construction. The object is thus to provide simplified holding devices and casings for monolithic sorbents.

of relatively large internal diameter

counterpressure is generated.

The invention relates to encased monolithic sorbents based on porous mouldings, in particular those which have interconnected macropores and mesopores in the

20

walls of the macropores, where the diameter of the macropores has a median value of greater than 0.1 µm and where the diameter of the mesopores has a median value of 2 and 100 nm, the outer surface of said monolithic sorbent being surrounded in a liquid-impermeable manner by a pressure-resistant plastic casing.

The invention also relates to the use of a monolithic sorbent according to the invention in a chromatographic column or a chromatographic cartridge.

The invention furthermore relates to the use of a monolithic sorbent according to the invention in the chromatographic separation of at least two substances.

Figure 1 shows a monolithic sorbent encased in accordance with the invention in a holding device; the upper half is shown. Figures 2 and 3 show variants for holding monolithic sorbents.

Monolithic sorbents are known in principle from the literature; they include, in particular, porous ceramic mouldings, as disclosed in WO 94/19 687 WO 95/03 256. The term monolithic scrbents in 25 broader sense also includes mouldings made polymers, as described by F. Svec and J. M. Frechet (1992) Anal. Chem. 64, pages 820 - 822, and by S. Hjerten et al. (1989) J. Chromatogr. 473, pages 273 -30 275. Particular preference is given to monolithic sorbents based on porous mouldings which interconnected macropores and mesopores in the walls of the macropores, where the diameter of the macropores has a median value of greater than 0.1 µm and where the diameter of the mesopores has a median value of 2 and 35 100 nm.

Monolithic sorbents thus consist of materials as used for particulate sorbents. In many cases (for example

35

 SiO_2), these sorbents can be used directly for chromatographic separation. More frequently, however, the basic supports are derivatized in order to improve the separation properties; additional groups grouped together under the term separation effectors are introduced.

Separation effectors and processes for their introduction into the basic supports are known in principle to the person skilled in the art. Examples of reactions by means of which separation effectors can be introduced are the following:

a) Derivatization using silane derivatives of theformula I

 $SiX_nR^1_{(3-n)}R^2$

I

in which

20 X is methoxy, ethoxy, halogen or amino derivatives,

 R^1 is $C_1-C_5-alkyl$,

n is 1, 2 or 3

and

 R^2 has one of the following meanings:

- a1) unsubstituted or substituted alkyl or aryl, such as, for example, n-octadecyl, n-octyl, benzyl or cyanopropyl;
- a2) anionic or acidic radicals, such as, for example, carboxypropyl;
 - a3) cationic or basic radicals, such as, for example, aminopropyl, diethylaminopropyl or triethylammoniumpropyl;
- a5) activated radicals capable of bonding, such as, for example, (2,3-epoxypropyl)oxypropyl.

5

- b) Adsorption or chemical bonding of polymers, such as polybutadiene, siloxanes, polymers based on styrene-divinylbenzene, on (meth)acrylic acid derivatives or on other vinyl compounds, and on peptides, proteins, polysaccharides and polysaccharide derivatives to the basic support;
- c) Chemical bonding of polymers mentioned under b) via the derivatives mentioned under a); these include graft polymers of poly(meth)acrylic acid derivatives on diol-modified silica gel in accordance with EP-B-0 337 144.
- d) Adsorption or chemical bonding of chiral phases, such as, for example, amino acid derivatives, peptides or proteins, or of cyclodextrins, polysaccharides or polysaccharide derivatives.
- Further customary derivatization possibilities and derivatization processes are known to the person skilled in the art and are described in the common handbooks, such as Unger, K. K. (ed.), Porous Silica, Elsevier Scientific Publishing Company (1979) or Unger, K. K., Packings and Stationery Phases in Chromatographic Techniques, Marcel Dekker (1990).

Further examples of various separation effectors and of processes for introducing separation effectors into monolithic sorbents are given in the following publications:

a) DE 38 11 042 discloses, inter alia, monomers which are suitable for the preparation of ion exchangers; these include, for example, acrylic acid, N-(sulfoethyl)acrylamide, 2-acrylamido-2-methylpropanesulfonic acid, N,N-dimethylamino-ethylacrylamide, N,N-diethylaminoethylacrylamide and trimethylammoniumethylacrylamide.

Other monomers mentioned in this document allow the bonding of affinity ligands or of enzymes, or are suitable for reversed phase chromatography: these include, for example, acrylic acid, acrylamide, allylamine and acrylonitrile.

b) DE 43 10 964 discloses monomers containing an oxirane ring, an azlactone ring or a group which can be converted into an azlactone ring. Polymers containing monomers of this type are particularly suitable for binding affinity ligands or enzymes. Affinity ligands are disclosed by way of example in DE 43 10 964.

The epoxide groups in such polymers can furthermore advantageously be reacted allowing the preparation of. ion exchangers, thiophilic sorbents or sorbents for metal chelate or hydrophobic chromatography. Here, phosphoric acid, diethylamine, trimethylamine, sulfurous acid or complexing agents, such iminodiacetic acid, can be added onto the oxirane ring.

The preparation of thiophilic sorbents and sorbents for metal chelate chromatography is disclosed in DE 43 10 964.

DE $43\ 33\ 674$ and DE $43\ 33\ 821$ disclose reactions by means of which ion exchangers can be prepared.

DE 43 23 913 describes sorbents for hydrophobic interaction chromatography.

The term "monolithic sorbent" is taken to mean, in accordance with the invention, both a porous base element and a porous base element derivatized by means of separation effectors.

30

5

10

15

20

The object is achieved in a simplified manner encasing the monolithic sorbent as described WO 94/19 687 with Teflon, PTFE or FEP, for example by shrinking-on a thin-walled tube. In a second step, a further pressure-resistant covering is then provided. To this end, the monolithic sorbent encased in the thin-walled tube is cast in a tube containing synthetic resin, for example an epoxy or polyimine resin, or sintered with a plastic. Additional covering with a laminate material with glass or carbon fibre reinforcement is also suitable for pressing the inner casing tightly against the monolithic sorbent.

The simplest solution is to apply a sufficiently pressure-resistant and solvent-resistant plastic casing to the monolithic sorbent. Plastics which are suitable for this application are known, for example polyether ketones, such as polyether ether ketones (PEEK). These plastics can be applied to the monolithic sorbent in the form of a powder and subsequently melted or sintered. PTFE is also suitable for application by sintering.

Another way of producing monolithic sorbents encased in 25 this way is to extrude the plastic onto the ceramic rod. In this case, the ceramic rod is fed through a crosshead die in parallel to the extrusion of a tube. The freshly extruded tube surrounds (hot) the ceramic rod and is additionally pressed against the ceramic rod, for example by a pressure device. It is also 30 possible to warm a pre-shaped tube instead of producing a tube by extrusion. This mechanical pressing and additional sintering during cooling produce a tight casing. It is also possible to introduce the ceramic 35 rod into a prefabricated tube whose internal diameter is slightly larger than the external diameter of the ceramic rod, and then to warm the plastic so that the tube can be reduced to the final diameter and thus tightly surrounds the ceramic rod.

In a further variant, the plastic casing is produced by flame spraying or single or multiple shrinking-on.

- 5 The pores of the outer surface of the monolithic sorbent can also be sealed by coating with a resin or a polysiloxane or another substance which solidifies to form an impermeable, pore-free layer. It is also possible to coat the outer surface of a monolithic sorbent consisting of ceramic material with a glass having the lowest possible melting point; in this case, the glass should preferably have a similar coefficient of thermal expansion to the monolithic sorbent.
- Working methods and parameters are known to the person skilled in the art of plastics processing or can be optimized by conventional methods.
- In principle, it is also possible to carry out the last-mentioned variants of the encasing after a prior first encasing with, for example, a shrink tube or similar non-pressure-resistant material.
- The monolithic sorbent encased in a pressure-resistant
 manner can be provided with end pieces for connecting
 eluent feed and outlet lines (chromatography column
 with monolithic sorbent). End pieces can be screwed on,
 bonded on or shrunk on.
- It is also possible to equip the monolithic sorbent encased in a pressure-resistant manner as a chromatographic cartridge for accommodation in a cartridge holding device. To this end, the casing can be provided, for example, with an annular groove in which corresponding projections of the cartridge holding device engage. Sealing elements at the ends

can, for example, be bonded or pressed in.

20

25

30

Suitable designs οf chromatographic columns cartridges and their end pieces are known to the person skilled in the art and are described in the relevant literature; thus, for example, cartridges and cartridge holders are disclosed in EP 0 205 002, EP 0 268 185 and EP 0 068 343.

encasing of a monolithic sorbent in PEEK described below by way of example: a monolithic moulding (100 \times 7.2 mm) is introduced into a PEEK tube (internal diameter 7.4 mm, wall thickness 1.5 mm). The plastic tube and moulding are warmed to about 300 -400°C, and the plastic tube is pressed tightly onto the moulding in a pressure device. After cooling, encased moulding is cut to a length of 83 mm. 15

A monolithic sorbent encased in this way can introduced directly into a cartridge holding device as shown by way of example in Figure 1. The upper half of the device is shown. The monolithic sorbent (1) is covered by the plastic casing (7) in a impermeable manner. A distributor frit (11) is located on the front face of the monolithic sorbent, and a ring seal (12) is supported on the face of the plastic casing. The distributor frit (11) and seal (12) are located in a recess in the end piece (9), which has a connector (10) for eluent feed and outlet. The encased monolithic sorbent is located in a tube (8), example made of aluminium or stainless steel, which is sealed by a screw cap (13). The screw cap (13) presses the end piece (9) against the plastic casing (7) and the monolithic sorbent (1).

The encasing of the monolithic sorbent can also be 35 carried out in such a manner that it is, for example, in principle possible to re-use the casing; a design of type is shown in Figure 2 (shown without accommodation device for eluent feed and outlet):

10

15

A self-sealing holding device into which the monolithic sorbent (1) can be inserted consists, for example, of the following constituents:

- (2) a tube of ductile or elastic inert material, for example Teflon or silicone rubber, which is conical at both ends;
- (3) two terminal pieces in the shape of truncated cones with a passage for eluent feed and discharge, made of ductile or elastic inert material, for example Teflon or silicone rubber;
- (4) a stainless-steel tube;
- (5) two threaded connections between the stainless-steel tube (4) and the end caps (6);

with the same function, for example, an external holding device or screw rods between the end caps/end plates;

- (6) two stainless steel end caps.
- 20 Instead of using stainless steel, other customary materials for chromatographic columns can be used.

This holding device allows the monolithic sorbent (1) to be inserted into the tube (2). For disposal, the monolithic sorbent can be pushed out of the tube after use. The tube (2) and the terminal pieces (3) can be re-used, as can the stainless-steel parts (4) and (6).

The internal length of the tube (2) is longer than the ceramic rod (1). When the end caps (6) are screwed onto the tube (4), the terminal pieces (3) compress the tube (2). Owing to the ductility of the materials, the monolithic sorbent is held in the device in a sealing manner.

35

A similar device is shown in Figure 3 (one half): the monolithic sorbent (1) is located in a tube (15) of a flexible, solvent-resistant material, which is itself located in a tube (14). A distributor frit (11) and a

connecting piece (17) with connecting tube (18) is located on each of the faces of the monolithic sorbent. The connecting piece (17) is held by the head piece (16). Pressure rams (19) press the tube (15) firmly against the monolithic sorbent.

Even without further explanations, it is assumed that a person skilled in the art can use the above description in the broadest extent. The preferred embodiments and examples are therefore to be regarded merely as a descriptive disclosure which is in no way limiting in any way.

The entire disclosure content of all applications, patents and publications mentioned above and below and the corresponding application DE 197 26 164.7, submitted on 20.06.97, are incorporated into this application by way of reference.

Claims

- 1. Encased monolithic sorbent based on porous mouldings which have interconnected macropores and 5 mesopores in the walls of the macropores, where the diameter of the macropores has a median value of greater than 0.1 $\mu\mathrm{m}$ and where the diameter of the mesopores has a median value of 2 and 100 nm, characterized in that the outer surface of said monolithic sorbent is surrounded in a liquid-10 impermeable manner by a pressure-resistant plastic casing.
- 2. Use of a monolithic sorbent according to Claim 1 in a chromatographic column or a chromatographic cartridge.
 - 3. Use of a monolithic sorbent according to Claim 1 in the chromatographic separation of at least two substances.

420 Rec'd PCT/PTO 2 0 DEC 1999

WO 98/59238

- 1 -

PCT/EP98/03525

Holding device for monolithic sorbents

Abstract

The invention relates to encased monolithic sorbents based on porous mouldings, where the outer surface of said monolithic sorbent is surrounded in a liquidimpermeable manner by a pressure-resistant casing, for example of plastic. The casing according invention is in particular in the case of porous mouldings which have interconnected macropores mesopores in the walls of the macropores, where the diameter of the macropores has a median value of greater than 0.1 μm and where the diameter of the mesopores has a median value of 2 and 100 nm. invention furthermore relates to the use monolithic sorbent according to the invention in a chromatographic column or a chromatographic cartridge, and to the use of a monolithic sorbent according to the invention in the chromatographic separation of at least two substances.

□ YES

□ YES

□ YES

D YES

□ N∈

 $\square \cdot N \subseteq$

 $\square \setminus N \subseteq$ o No

OMBINED	DECLARATION FOR erence to PCT Internation	PATENT APPLICATION A nail Applications)	ND POWER OF ATTO)RNEY	MERCK-2047			
As a	below camed inventor,	I hereby declare that:						
My reside	ence, post office address	and cinzenship are as stated be	low next to my name,					
I believe l plural nar	nes are isted below) of th	i sole inventor (if only one nai e subject matter which is claum	ed and for which a patent	t is sought of n	ne myention endued:			
	HOLDING DEVIC	E FOR MONOLITHIC SOR	RENTS					
the specif	fication of which (check o	only one item below).						
	is attached hereto							
	was fixed as United State	es application						
	Serial No.							
	03			,				
	and was amended							
- exec	on (if applicable).							
	was filed as PCT international application							
Manufacture and the second sec	NumberPCT/EP98/03525							
	on							
	and was amended under PCT Article 19							
ii	on			(if appli	cable).			
amended	state that I have reviewed by any amendment refer	i and understand the contents of the desired to above.	of the above-id-nufied sp	pecification, inc	cluding the claims, as			
37, Code	e of Federal Regulations,							
inventor	's certificate or of any Poica listed below and have a	enefits under Title 35, United and international application(s) also identified below any foreignating at least one country other before that of the applications	designating at least one in application(s) for patent in than the United States	of America file	certificate or any PCT			
PRIOR FORE	IGN/PC : APPLICATION(S)	AND ANY PRIORITY CLAIMS U	IDER 35 U.S.C. 119:					
	COUNTEY CT, sidice2: "PCT")	application number	DATE OF (day, that		PRIORITY CLAIMED UNDER 35 USC 119			
		DE 197 26 164.7	02 JUN1		& YES D			

St

POST UFFICE ADDRESS TREET

3/0 Merck KGaA, Frankfurter Str 250

STATE & 21P CODE/COUNTRY 64293 GERMANY

Co	mbined Dec	laration For I	atent App	plication at	nd Power of Attorney (Conti	inued)	MERCK-2047		
	designating the not disclosed acknowledge th	United States of A in that/those price duty to disclose	America that or application material info	is/are listed b n(s) in the ma rmation as de	ode, §120 of any United States appled with and, insufar as the subject manuager provided by the first paragraphiced in Title 37. Code of Federal River provided by the first paragraphic of Federal River per provided in Title 37.	ter of each of the oh of Title 35, equiations, \$1.5	e claims of this a United States Co	pplication is	
		LICATION NUMBER			U.S. FILING DATE	PATENTED	PENDING	ABANDUN	
							† - 		
	PCT APPLICATI	OA NO	PCT FILI	NG DATE	U S SERIAL NUMBERS ASSIGNED ((J any)				
	Zelano (27,969 Traverso (30,5) Catherine M	9); Alan E.J. Brai 195), John A. Sop Joyce (40,668); N	ugan (20,565 p (33,103), l ancy I. Axel	5), John R. M Richard M. Le rod (44,014):	y appoint I. William Millen (19,544) oses (24,983); Harry B. Shubin (32, 200vitz (37,067); John H. Thomas (3 James F. Ruland (37,432) and Jennemark Office connected therewith.	004); Brion P. I 33.460), James (Heanry (32,542); C. Moore (35,619	Richard J (
1 mmm.	Send Correspo	Arlın 2200		ouse Plaza I. S Joulevard		ephone No 8/243-6333	Direct Te	lephone Call y J. Zelano	
2	FULL NAME OF INVENTOR	FAMILY NAME L. BDA			FIRST GIVEN NAME Dieler	SECOND	SECOND GIVEN NAME		
) 0	RESIDENCE & CTTY CITIZENENT (2125 Bensheim			STATE OR FOREIGN COUNTRY GERMANY		COUNTRY OF CITIZENSHIP GERMANY			
and full fin	POST OFFICE ADDRESS				CITY Darmstadt		tate & 21P code/country 4293 GERMANY		
2	FULL NAME OF INVENTOR WIFLAND				first civen name Gerlard	SECOND	second given name		
0 2	RESIDENCE & CITI∠ENSHIP	Cil'Y 64625 <u>Bensheur</u>	1		STATE OR FOREIGN COUNTRY GERMANY		COUNTRY OF CITIZENSHIP GERMANY		
and draft	POST OFFICE ADDRESS	STREET c/o Merck KGa	A, Frankfurt	er Str. 250	CITY Darmstadt		STATE & 21P CODE/COUNTRY 64293 GERMANY		
2	full name of inventor	FAMILY NAME CABRERA			FIRST GIVEN NAME Karin	SECOND	SECOND GIVEN NAME		
0	RESIDENCE & CITY CITIZENSHIP 6:303 Dreieich				STATE OR FOREIGN COUNTRY GERMANY	COUNTRY	COUNTRY OF CITIZENSHIP GERMANY		
	POST OFFICE SIREET C/O Merck KGaA, Frankfur			er Str. 250	CITY Darmstadt	1	STATE & ZIP CODE/COUNTRY 64293 GERMANY		
2 0 4	FULL NAME FI MILY NAME			FIRST GIVEN NAME Hans	Dieter Dieter	SECUND GIVEN NAME Dietes			
	RESIDENCE & CITY CITIZENSHIP G-1287 Darmstadt			STATE OR FOREIGN COUNTRY GERMANY	•	COUNTRY OF CITIZENSHIP GERMANY			
	POST OFFICE STREET ADDRESS CO Merck KGaA, Frankfurte			er Str. 250	CITY Darmstadt	1	STATE & 2IP CODE/COUNTRY 64293 GERMANY		
2	FULL NAME FAMILY NAME DICKS				FIRST GIVEN NAME Edith	SECONU	SECOND GIVEN NAME		
0	Residence & Citizenship	City ii4297 Darmstadt			STATE OR FOREIGN COUNTRY GERMANY		COUNTRY OF CITIZENSHIP GERMANY		

CITY

Darmstadt

70324364195/07 F-971

Col (Incid	nbined Dec	MERCK-2047							
		3							
2	FULL NAME FAMILY NAME OF INVENTOR SALITIER			Fiksi Given		SECOND CIVEN NAME			
0	RESIDENCE & CIT' CITIZENSHIP 643:4 Reinheim			STATE OR PO	OKEIGH COUNTRY	1	COUNTRY OF CITIZENSHIP GERMANY		
	POST OFFICE STRIET C/O Merck KGaA. Frankfurter Str. 25			CITY Darmstadt			STATE & ZIP CODE COUNTRY 64293 GERMANY		
2	full name of inventor	FAMILY NAME NEUROTH		FIRST GIVEN NAME Willi		SECOND GIVE	SECOND GIVEN NAME		
0 7	RESIDENCE & CITY CITIZENSHIP 64380 Rossdorf			STATE OR FO	OREIGN COUNTRY Y		COUNTRY OF CITIZENSHIP GERMANY		
	POST OFFICE STRIET ADDRESS C/O MCTUL KGaA, Frankfurter Str 2:			CITY Darmstadt			STATE & ZIP CODE/COUNTRY 64293 GERMANY		
A	FULL NAME FAMILY NAME OF INVENTOR HELISER			FIRST GIVE	NAME	SECOND GIVE	EN NAME		
2 0 8	RESIDENCE &	DENCE & CIT		STATE OR FOREIGN COUNTRY GERMANY		COUNTRY OF	CITIZENSHIP		
11111	POST OFFICE ADDRESS	STREET c/o Mcrck KGaA, Frankfurter	Str 250	CITY Darmstadt	7		STATE & 21P CODE/COUNTRY 64293 GERMANY		
				FIRST GIVEN NAME		SECOND GIV	SECOND GIVEN NAME		
2 - 0	RESIDENCE & CITIZENSHIP	RESIDENCE & CLLY			OREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
9	POST OFFICE ADDRESS	STR IET		CITY			STATE & ZIP CODE/COUNTRY		
2	FULL NAME OF INVENTOR	FA LLY NAME		FIRST GIVEN NAME		SECOND GIV			
1	RESIDENCE & CITIZENSHIP	CIT (STATE OR FOREIGN COUNTRY			F CITIZENSHIP CODE/COUNTRY		
	POST OFFICE ADDRESS	STREET		FIRST GIVEN NAME		SECOND GIVEN NAME			
2	OF INVENTOR			STATE OR FOREIGN COUNTRY		COUNTRY OF CUTZENSEIF			
1	RESIDENCE & CITIZENSHIP	Ct. A		CITY			CODE/COUNTRY		
	POST OFFICE ADDRESS	STREET							
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wiliful faise statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may je pardize the validity of the application or any patent issuing thereon.									
SIG	NATURE OF INVE	——————————————————————————————————————	DATE	, ,	SIGNATURE OF INVENTOR	207	DATE SOLO		
Is der Illa 25/0			05/00	Will Mary		28/01/00			
SIGNATURE OF INVENION 202 DATE 25/6			25/00	SIGNATURE SE INVENTORY	208 Kl	25/65/00			
SIGNATURE OF INVENTO 1 203 DATE				105/00	SIGNATURE OF INVESTION	209	DATE		
SIGNATURE OF INVENTOR. 284/ DATE			1 1	SIGNATURE OF INVENTOR	210	DATE			
SIGNATURE OF INVENTOR: 205 SIGNATURE OF INVENTOR: 205 SATE 257				105/00		2.1	DATE		
				105/00	SIGNATURE OF INVENTOR	3:1			
SIGNATURE OF INVENTED (25)			105/00	Signature of inventur	212	DATE			